

See Also

This class has no related objects.

Delegates

Name	Description
AppearanceChanged()	This delegate is called when the user switches between Light and Dark system themes.

Enumerations

Name	Values
SystemEffects	None
	Pressed
	DeepPressed
	Disabled
	RollOver

Constants

Name	Type	Value
------	------	-------

This class exposes no constants.

Events

Definition	Description
------------	-------------

This class exposes no events.

Color Methods

Name	Parameters
FocusRing	

Name	Parameters
Accent	
BackgroundContentEven	
BackgroundContentOdd	
BackgroundContentSelected	
BackgroundContentSelectedUnemphasized	
BackgroundControl	
BackgroundControlSelected	
BackgroundControlSelectedAlternate	
BackgroundHeader	
BackgroundKnob	
BackgroundKnobSelected	
BackgroundMenuItemSelected	
BackgroundScrollBar	
BackgroundScrubber	
BackgroundText	
BackgroundTextSelected	
BackgroundTextSelectedUnemphasized	
BackgroundUnderPage	
BackgroundWindow	
BackgroundWindowFrame	
BevelDark	
BevelLight	
BevelLightHighlight	
GridLines	
Highlight	
HighlightFind	
Separator	
Shadow	withSystemEffect as GraffitiColors.MacOS.SystemEffects = GraffitiColors.MacOS.SystemEffects.None
ShadowDark	
SystemBlue	
SystemBrown	
SystemClear	
SystemGray	
SystemGreen	
SystemIndigo	
SystemOrange	
SystemPink	
SystemRed	
SystemTeal	
SystemYellow	
TextControl	
TextControlDisabled	
TextControlSelected	
TextControlSelectedAlternate	
TextHeader	
TextLabelPrimary	
TextLabelSecondary	
TextLabelTertiary	
TextLabelQuaternary	
TextLink	
TextMenuItemSelected	
TextPlaceholder	
TextUnemphasizedSelected	
TextWindow	
TextWindowSelected	
TextWindowTitle	

Methods

Definition	Description
AppearanceListenerAdd(modeCallback as AppearanceChanged)	Adds an appearance listener delegate to the call stack. This delegate will be invoked if/when the user changes the system color scheme.
AppearanceListenerRemove(modeCallback as AppearanceChanged)	Removes the specified listener delegate from the call stack. All added delegates should be removed when no longer needed.
AppearanceListenerRemoveAll()	Removes all appearance delegate listeners. Ideally listeners should be removed when no longer needed, but if you run in to an issue where you are leaking listeners, you can call this to clear the stack. Note that this will break the basic IsDarkMode functionality for this module, so use with caution.
IsDarkMode() as Boolean	Uses a cached value system that is updated upon initialization and when the user changes the system color scheme to reduce OS calls.
toDictionary() as Dictionary	Returns a Dictionary of all color methods with all SystemEffects applied.

Properties

Name	Type	Default Value	Description
------	------	---------------	-------------

This class exposes no properties.

Examples

This class currently has no examples.

Notes

This class currently has no notes.

From:
<https://graffitisuite.com/wiki/> - **GraffitiSuite Documentation**

Permanent link:
<https://graffitisuite.com/wiki/doku.php?id=desktop:colors:macos>

Last update: **2019/10/23 05:53**

