

See Also

[GraffitiWebChartDataset](#)
[GraffitiWebChartLegend](#)

Enumerations

| Name | Values |
|----------------|------------------|
| ChartTypes | Bar |
| | Line |
| | Radar |
| | Doughnut |
| | Pie |
| | StackedBar |
| | Polar |
| Easings | linear |
| | easeInBack |
| | easeInBounce |
| | easeInCirc |
| | easeInCubic |
| | easeInElastic |
| | easeInExpo |
| | easeInQuad |
| | easeInQuart |
| | easeInQuint |
| | easeInSine |
| | easeOutBack |
| | easeOutBounce |
| | easeOutCirc |
| | easeOutCubic |
| | easeOutElastic |
| | easeOutExpo |
| | easeOutQuad |
| | easeOutQuart |
| | easeOutQuint |
| | easeOutSine |
| | easeInOutBack |
| | easeInOutBounce |
| | easeInOutCirc |
| | easeInOutCubic |
| | easeInOutElastic |
| | easeInOutExpo |
| easeInOutQuad | |
| easeInOutQuart | |
| easeInOutQuint | |
| easeInOutSine | |

| Name | Values |
|------------|------------|
| FontStyles | Normal |
| | Bold |
| | Italic |
| | BoldItalic |

Constants

| Name | Type | Value |
|------|----------------------------------|-------|
| | This class exposes no constants. | |

Events

| Definition | Description |
|--|-------------|
| AnimationComplete() | |
| PointsClicked(Datasets() as GraffitiWebChartDataset) | |

Methods

| Definition | Description |
|--|---|
| AddDataset(newDataset as GraffitiWebChartDataset, newIndex as Integer = -1) | Adds a the provided dataset at the position signified by newIndex. If newIndex is less than zero, the item is appended to the end of the array. |
| DeleteAll() | Removes all datasets. |
| DoResize() | This method forces the chart to update its display. Most commonly would be used when resizing the control. Should not need to be called, but it's there if you need it. |
| RemoveDataset(DataIndex as Integer) | Removes the dataset signified by DataIndex. |
| SetBarFill(DatasetIndex as Integer , BarIndex as Integer , NewColor as Color) | Changes the bar fill color for the specified bar. |
| SetBarHighlightFill(DatasetIndex as Integer , BarIndex as Integer , NewColor as Color) | Changes the bar fill highlight color for the specified bar. |
| SetBarHighlightStroke(DatasetIndex as Integer , BarIndex as Integer , NewColor as Color) | Changes the bar stroke highlight color for the specified bar. |
| SetBarStroke(DatasetIndex as Integer , BarIndex as Integer , NewColor as Color) | Changes the bar stroke color for specified bar. |

Properties

| Name | Type | Default Value | Description |
|-----------------|-------------------------|---------------|---|
| Animation | Boolean | True | When true, the chart will animate changes to data. |
| AnimationEasing | Easings | Linear | The motion style to use for animating chart elements. |
| AnimationSteps | Integer | 60 | Determines the number of frames to use for animating the chart. |

| Name | Type | Default Value | Description |
|-------------------------|-------------------------|---------------|--|
| BackgroundColor | Color | Transparent | If True applies a background color to the chart display. This color is not applied to the image returned by ImageData. |
| BezierCurve | Boolean | True | When True, lines will be curved using a bezier algorithm. |
| BezierCurveTension | Double | 0.4 | The tension on the curved line. |
| ChartType | ChartTypes | 0 | The type of chart to be displayed. |
| DatasetFill | Boolean | True | When using line charts, this will cause the data to display the background color associated with the dataset. |
| Datasets() | GraffitiWebChartDataset | Nil | The array containing the datasets for the current chart. |
| DatasetStroke | Boolean | True | Show the stroke line of the dataset. |
| DatasetStrokeWidth | Integer | 2 | The pixel width of the dataset stroke. |
| GridLineColor | Color | &c000000dd | The color used to draw the grid lines of the chart. |
| GridLineWidth | Integer | 1 | The pixel width of the grid line. |
| Image | Picture | Nil | A picture representation of the chart that is created when the AnimationComplete event fires. |
| ImageData | String(Read-Only) | "" | A base64-encoded image string of the currently displayed chart. |
| LabelFontSize | Integer | 12 | Size of labels to use for chart axes. |
| LabelFontStyle | FontStyles | Normal | |
| Labels() | String | Nil | The array of dataset labels to use in the chart. |
| LabelsVisible | Boolean | True | Determines whether axis labels are displayed. |
| PointDotRadius | Integer | 4 | The size of the circle for each data point in applicable charts. |
| PointDotStrokeWidth | Integer | 1 | The width of the Point Dot's Stroke. |
| PointHitDetectionRadius | Integer | 20 | The pixel distance in which the data point will be hovered / clicked. |
| ScaleOverride | Boolean | False | If True, the chart will use the values in the other Scale properties for determining the scale of the chart, rather than automatically assigning values. |
| ScaleStart | Integer | 0 | The starting value of the Y-axis. |
| ScaleSteps | Integer | 10 | The number of steps in the Y-axis. |
| ScaleStepWidth | Integer | 10 | The width of the scale's individual steps. See Examples below for more information. |
| ShowGridLines | Boolean | True | Determines whether the grid lines will be displayed. |

| Name | Type | Default Value | Description |
|-----------------------|---------|---------------|---|
| ShowPointDot | Boolean | True | If True, applicable charts will draw a circle over each data point in each dataset. |
| ShowToolTips | Boolean | True | If True, tooltips will be shown when hovering over data points. |
| TooltipFillColor | Color | &c000000 | The background color for the displayed tooltips. |
| TooltipFontColor | Color | &cFFFFFF | The text color for the displayed tooltips. |
| TooltipTitleFontColor | Color | &cFFFFFF | The text color used in displaying titles on the tooltips. |

Examples

Random Bar Chart

```

dim r as new Random

for intDataset as Integer = 1 to 2
    dim cFillColor as Color = RGB( r.InRange( 0, 255 ), r.InRange( 0, 255 ),
r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cStrokeColor as Color = RGB( r.InRange( 0, 255 ), r.InRange( 0, 255
), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cPointColor as Color = RGB( r.InRange( 0, 255 ), r.InRange( 0, 255
), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cPointStrokeColor as Color = RGB( r.InRange( 0, 255 ), r.InRange( 0,
255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cHighlightFill as Color = RGB( r.InRange( 0, 255 ), r.InRange( 0,
255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cHighlightStroke as Color = RGB( r.InRange( 0, 255 ), r.InRange( 0,
255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cPointHighlightColor as Color = RGB( r.InRange( 0, 255 ), r.InRange(
0, 255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )
    dim cPointHighlightStrokeColor as Color = RGB( r.InRange( 0, 255 ),
r.InRange( 0, 255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )

    dim dataPoints() as Double
    for intCycle as Integer = 1 to 12
        dataPoints.Append( r.InRange( 0, 100 ) )
    next
    dim newData as GraffitiWebChartDataset = new GraffitiWebChartDataset(
"Bar " + Format( intDataset, "#" ), cFillColor, cStrokeColor,
cHighlightFill, cHighlightStroke, cPointColor, cPointStrokeColor,
cPointHighlightColor, cPointHighlightStrokeColor, dataPoints() )
    me.Datasets.Append( newData )
next

me.Labels = Array( "January", "February", "March", "April", "May", "June",

```

```
"July", "August", "September", "October", "November", "December" )  
me.ChartType = GraffitiWebChart.TypeBar
```

Random Doughnut Chart

```
dim newData as GraffitiWebChartDataset  
dim cFillColor as Color  
dim cHighlightFill as Color  
  
dim r as new Random  
  
for intCycle as Integer = 1 to 5  
    cFillColor = RGB( r.InRange( 0, 255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )  
    cHighlightFill = RGB( r.InRange( 0, 255 ), r.InRange( 0, 255 ), r.InRange( 0, 255 ) )  
    newData = new GraffitiWebChartDataset( "Part " + Format( intCycle, "#" ) , r.InRange( 0, 100 ), cFillColor, cHighlightFill )  
    me.Datasets.Append( newData )  
next  
  
me.ChartType = GraffitiWebChart.TypeDoughnut
```

Chart Y-Axis Scaling

Let's say we want our bar chart to draw only a scale between 0 and 100, with steps each 10 points. We would set the properties of the chart instance as follows (either in the inspector or programmatically in the Open event):

```
chartInstance.ScaleOverride = True '// Override the default scale  
chartInstance.ScaleStart = 0 '// Set our starting position to 0  
chartInstance.ScaleSteps = 10 '// We want 10 total steps between 0 and 100  
chartInstance.ScaleWidth = 10 '// Add an axis point every 10 values between 0 and 100 (0..10..20..30)
```

From:

<https://graffitisuite.com/wiki/> - **GraffitiSuite Documentation**

Permanent link:

<https://graffitisuite.com/wiki/doku.php?id=web:chart>

Last update: **2019/01/09 13:52**

