

Enumerations

Name	Values
	Ambiance = 0
	Chaos = 1
	Chrome = 2
	Clouds = 3
	CloudsMidnight = 4
	Cobalt = 5
	CrimsonEditor = 6
	Dawn = 7
	Dreamweaver = 8
	Eclipse = 9
	GitHub = 10
	IdiFingers = 11
	iPlastic = 12
	Katzenmilch = 13
	KRTheme = 14
	Kuroir = 15
	Merbivore = 16
Theme	MerbivoreSoft = 17
	Monodustrial = 18
	Monokai = 19
	PastelOnDark = 20
	SolarizedDark = 21
	SolarizedLight = 22
	SQLServer = 23
	Terminal = 24
	TextMate = 25
	Tomorrow = 26
	TomorrowNight = 27
	TomorrowNightBlue = 28
	TomorrowNightBright = 29
	TomorrowNightEighties = 30
	Twilight = 31
	VibrantInk = 32
	XCode = 33

Name	Values
	ABAP = 0
	ABC = 0
	ActionScript = 1
	ADA = 2
	ApacheConf = 3
	AppleScript = 4
	ASCIIDoc = 5
	AssemblyX86 = 6
	AutoHotKey = 7
	BatchFile = 8
	Bro = 9
	C CPP = 10
	C9Search = 11
	Ciru = 12
	Clojure = 13
	Cobol = 14
	CoffeeScript = 15
	ColdFusion = 16
	CSharp = 17
	CSS = 18
	Curly = 19
	D = 20
	Dart = 21
	Diff = 22
	Django = 23
	DockerFile = 24
	Dot = 25
	Drools = 26
	Eiffel = 27
	EJS = 28
	Elixir = 29
	Elm = 30
	ERLang = 31
	Forth = 32
	Fortran = 33
	FTL = 34
	GCode = 35
	Gherkin = 36
	GitIgnore = 37
	GLSL = 38
	Gobstones = 39
	GOLang = 40
	Groovy = 41
	HAML = 42
	Handlebars = 43
	Haskell = 44
	HaskellCabal = 45
	Haxe = 46
	JSON = 47
	HTML = 48
	HTMLElixir = 49
	HTMLERuby = 50
	INI = 51
	IO = 52
	Jack = 53
	Jade = 54
	Java = 55
	JavaScript = 56
	JSON = 57
	JSONIO = 58
	JSP = 59
	JSX = 60
	Julia = 61
	Kotlin = 62
	LaTeX = 63
	Lean = 64
	LESS = 65
	Liquid = 66
	LISP = 67
	Live Script = 68
	LiveScript = 69
Modes	LogQL = 70
	LSL = 71
	LUA = 72
	LIAPage = 73
	Lucene = 74
	MakeFile = 75
	Markdown = 76
	Mask = 77
	MatLab = 78
	Maze = 79
	Mel = 80
	MIPS Assembler = 81
	MIPSAssembler = 82
	MushCode = 83
	MySQL = 84
	Nix = 85
	NSIS = 86
	ObjectiveC = 87
	OCAML = 88
	Pascal = 89
	Perl = 90
	PGSQL = 91
	PHP = 92
	PlainText = 93
	PowerShell = 94
	Praat = 95
	Protos = 96
	Properties = 97
	Protobuf = 98
	Python = 99
	R = 100
	Razor = 101
	RDoc = 102
	RMarkdown = 103
	RST = 104
	Ruby = 105
	Rust = 106
	SASS = 107
	SCAD = 108
	Scala = 109
	Scheme = 110
	SCSS = 111
	SH = 112
	SJS = 113
	Smarty = 114
	Snippets = 115
	SoyTemplate = 116
	Space = 117
	SQL = 118
	SQLServer = 119
	Stylus = 120
	SVG = 121
	Swift = 122
	Swig = 123
	TCL = 124
	TeX = 125
	Text = 126
	Textile = 127
	TOML = 128
	TSX = 129
	Twig = 130
	TypeScript = 131
	Vala = 132
	VBScript = 133
	Velocity = 134
	Verilog = 135
	VHDL = 136
	Wollok = 137
	XML = 138
	Xojo = 139
	XQuery = 140
	YAML = 141

Constants

Name	Type	Value
		This class exposes no constants.

Events

Definition	Description
BreakpointCleared(Row as Integer)	Raised when the user clears a breakpoint by clicking on the line number gutter.
BreakpointSet(Row as Integer)	Raised when the user sets a breakpoint by clicking on the line number gutter.
SelChange()	Fires when the user changes their selection, either by using the mouse or the keyboard.
TextChange()	Fires when the user changes the text within the syntax editor.
UndoManager()	This event signals a change in the CanUndo and CanRedo properties, allowing for dynamic menu enabling/disabling based on state.

Methods

Definition	Description
AnnotationAdd(Row as Integer, theText as String, theType as String)	This method will add an annotation icon with informational tooltip to the left of the line numbers in the gutter of the Row specified.
AnnotationRemove(Row as Integer)	Remove any annotation on Row.
AnnotationRemoveAll()	Remove all annotations.
BreakpointAdd(Row as Integer)	Add a breakpoint to Row.
BreakpointRemove(Row as Integer)	Remove breakpoint from Row.
BreakpointRemoveAll(Row as Integer)	Remove all breakpoints from the current document.
DeselectAll()	Deselect all text in the current document.
Find(theText as String, intStartPosition as Integer = 0, blnBackward as Boolean = false, blnWrap as Boolean = False, blnCaseSensitive as Boolean = False, blnWholeWord as Boolean = False, blnRegEx as Boolean = False, blnSkipCurrentLine as Boolean = False)	This starts the Find system.
FindNext()	Finds the next searched for match in the document. Must follow a call to Find()
FindPrevious()	Finds the searched for match in the document by moving backward from the current position. Must follow a call to Find()
GotoLine(Row as Integer)	Automatically sets the cursor to the start of the line signified by Row.
Insert(theText as String)	Inserts theText in to the Syntax Editor at the cursor's current position.
Redo()	Redo an undone change to the text.
Replace(replaceWith as String)	Replace a searched for match. Must follow a call to Find()

Definition	Description
ReplaceAll(replaceWith as String)	Replace all matches for the previous search. Must follow a call to Find()
ReplaceAll(strFind as String, replaceWith as String)	Replace all instances of strFind with replaceWith.
ResetUndoStack()	Clears the Undo/Redo stack. Useful if you are saving the document and don't want to allow reversing changes back beyond that point.
ScrollToLine(Row as Integer)	Scrolls Row in to the syntax editor view.
SelectAll()	Selects all text within the editor.
SelectionIndent()	Indents the current line.
SelectionOutdent()	Outdents the current line.
SelectionToggleComment()	Toggles comment on the current line.
SelectionToLowercase()	Convert all text in the current selection to lowercase.
SelectionToUppercase()	Convert all text in the current selection to uppercase.
SelectLine(Row as Integer)	Select the line signified by Row.
Undo()	Undo a user's change to the text.

Properties

Name	Type	Default Value	Description
Annotations()	Dictionary	Nil	The currently applied row annotations. Should not be modified directly.
AvailableModes()	String	Nil	The currently available syntax highlighting modes.
AvailableThemes()	String	Nil	The currently available display themes.
CanRedo Read-Only	Boolean	False	If the editor can Redo a recently undone change.
CanUndo Read-Only	Boolean	False	If the editor can undo a recent change.
CodeFolding	Boolean	True	If True and supported by the selected Mode, code blocks will be allowed to fold by clicking an arrow on the gutter.
CursorColumn Read-Only	Integer	0	The column of the document where the cursor currently resides.
CursorRow Read-Only	Integer	0	The row of the document where the cursor currently resides.
FirstVisibleRow Read-Only	Integer	0	The first line that is visible in the editor's display.
FontSize	Integer	0	The size of font to use for the code in the editor.
HighlightActiveLine	Boolean	True	Places a colored highlight over the line where the cursor resides. This makes it easier for users to quickly find where they left off.
LastVisibleRow Read-Only	Integer	0	The last line that is visible in the editor's display.
LineCount Read-Only	Integer	0	The number of lines in the current document.

Name	Type	Default Value	Description
Mode	Modes	Modes.ABAP	The syntax highlight mode to use.
ReadOnly	Boolean	False	If True, users will not be able to edit the contents of the field.
SelEnd	Integer	0	The end position of the current selection range.
SelStart	Integer	0	The start position of the current selection range.
SelText Read - Only	String	""	The currently selected text in the editor.
ShowPrintMargin	Boolean	False	If True, a print margin line and color differentiation will be display along the left-side corresponding to the width of a 8.5×11 sheet.
SoftTabs	Boolean	True	Pass true to enable the use of soft tabs. Soft tabs means you're using spaces instead of the tab character.
SyntaxChecker	Boolean	True	Pass true to enable basic syntax checking for supported languages. Note that while this is enabled, if there is an error in the code then annotations will be hidden in order to display only those errors which need to be resolved.
Text	String	""	Get/Set the current text of the document, as a whole.
Theme	Themes	Themes.Ambiance	The theme used to display the syntax editor.
WordWrap	Boolean	False	Sets whether or not line wrapping is enabled.

Examples

There are currently no examples for this class.

From:

<https://graffitisuite.com/wiki/> - **GraffitiSuite Documentation**

Permanent link:

<https://graffitisuite.com/wiki/doku.php?id=web:syntaxeditor>

Last update: **2019/10/23 05:53**

