

See Also

[GraffitiWebToolbarButton](#)

Enumerations

| Name | Values |
|--------------|-----------|
| Alignments | Left |
| | Center |
| | Right |
| BGStyles | Light |
| | White |
| | Dark |
| | Primary |
| | Secondary |
| | Info |
| | Success |
| | Warning |
| | Danger |
| BorderStyles | Dark |
| | Light |
| | White |
| | Primary |
| | Secondary |
| | Info |
| | Success |
| | Warning |
| | Danger |
| BorderTypes | None |
| | All |
| | Top |
| | Right |
| | Bottom |
| | Left |
| | NoTop |
| | NoRight |
| | NoBottom |
| | NoLeft |

| Name | Values |
|---------------|---------------|
| ButtonStyles | Primary |
| | Secondary |
| | Success |
| | Danger |
| | Warning |
| | Info |
| | Light |
| | Dark |
| Corners | Link |
| | None |
| | Rounded |
| | Top |
| | Right |
| | Bottom |
| | Left |
| DisableModes | Circle |
| | ModeButton |
| IconPositions | ModeComponent |
| | Left |
| | Top |
| | Right |
| TextStyles | Bottom |
| | Dark |
| | Light |
| | White |
| | Primary |
| | Secondary |
| | Info |
| | Success |
| Warning | |
| Danger | |

Constants

| Name | Type | Value |
|------|------|-------|
|------|------|-------|

This class exposes no constants.

Events

| Definition | Description |
|---|--|
| Action(ClickedButton as GraffitiWebToolbarButton, mouseX as Integer, mouseY as Integer, buttonDimensions as REALbasic.Rect) | Fired when the button is clicked. |
| ButtonEnter(theButton as GraffitiWebToolbarButton) | Raised when the mouse enters the specified button. |

| Definition | Description |
|---|---|
| ButtonExit(theButton as GraffitiWebToolBarButton) | Raised when the mouse exits the specified button. |

Methods

| Definition | Description |
|---|---|
| AddButton(newButton as GraffitiWebToolBarButton) | Adds newButton to the toolbar. |
| Button(index as Integer) as GraffitiWebToolBarButton | Returns the button at the specified index. |
| ButtonCount() as Integer | Returns the number of buttons currently added to the control. |
| InsertButton(atIndex as Integer, newButton as GraffitiWebToolBarButton) | Inserts newButton at the index supplied. |
| LastButton() as GraffitiWebToolBarButton | Returns the last added/inserted button. |
| RemoveAll() | Removes all buttons from the toolbar. |
| RemoveButton(index as Integer) | Removes the specified button from the toolbar. |
| RemoveButton(theButton as GraffitiWebToolBarButton) | Removes the specified button from the toolbar. |

Properties

| Name | Type | Default Value | Description |
|-----------------|--------------|---------------|--|
| AutoDisable | Boolean | True | When True, buttons will automatically be disabled when clicked and must be manually re-enabled. |
| AutoDisableMode | DisableModes | ModeButton | The method used for AutoDisable. When set to ModeComponent, the entire control will be disabled. ModeButton will disable only the Button that was interacted with. |
| ToolBarStyle | BGStyles | Light | Background color of the toolbar. |

Examples

This class currently has no examples.

Notes

This class currently has no notes.

From:
<https://graffitisuite.com/wiki/> - **GraffitiSuite Documentation**

Permanent link:
<https://graffitisuite.com/wiki/doku.php?id=web:toolbar>

Last update: **2020/07/19 08:55**

